

दिनांक 23 जनवरी, 2013

[illegible]

1	2	3	4	5	6	6	7
रोहतक	सांपला	नया बांस (समाप्त)	33	79-3	39	1/1/1मिन	1-11
						1/2/1मिन	0-1
					40	5/2मिन	2-9
						6मिन	2-16
						7मिन	2-9
						12/1मिन	0-11
						12/2मिन	0-10
						12/3मिन	1-2
						13मिन	4-4
						14मिन	2-4
						19मिन	2-2
						20/1मिन	4-7
						20/2	0-0
					41	16/1मिन	1-8
						16/2	0-4
						23मिन	2-2
						24मिन	4-4
						25मिन	2-2
					44	5	0-19
					45	1मिन	3-1
						2मिन	4-0
						3मिन	2-0
रोहतक	सांपला	खेड़ी सांपला	34	10-9	29	1मिन	0-12
					30	3मिन	3-4
						4मिन	4-0
						5मिन	2-13
कुल क्षेत्र 89 कनाल 12 मरला							

हरियाणा के राज्यपाल के आदेशानुसार।

(हस्ताक्षर)...

अधीक्षक अभियंता,
रोहतक वृत्त, लो०नि० वि०
(भवन तथा मार्ग शाखा), रोहतक।

[illegible]

1	2	3	4	5	6	7	8
Rohtak	Sampla	Naya Bans (Concl.)	33	79-3	40	5/2min	2-9
						6min	2-16
						7min	2-9
						12/1min	0-11
						12/2min	0-10
						12/3min	1-2
						13min	4-4
						14min	2-4
						19min	2-2
						20/1min	4-7
						20/2	0-0
					41	16/1min	1-8
						16/2	0-4
						23min	2-2
						24min	4-4
						25min	2-2
					44	5	0-19
					45	1min	3-1
						2min	4-0
						3min	2-0
Rohtak	Sampla	Kheri Sampla	34	10-9	29	1min	0-12
					30	3min	3-4
						4min	4-0
						5min	2-13

Total Area: 89 Kanal 12 Marla

For on behalf of Governor of Haryana.

(Sd.)...,
Superintending Engineer,
Rohtak Circle, P.W.D. (B&R Branch),
Rohtak.